

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

- 62,19

Wholesale Trade List

Lining Out Stock

SEASON 1929

Grower of

Evergreens, Flowering Shrubs, and
Trees, Deciduous Trees
and Vines



HOGANSVILLE NURSERIES

Hogansville, Georgia

JNO. WILKINSON, Proprietor



CONTENTS

- Lining Out Coniferous Evergreens
- Lining Out Broad-Leaved Evergreens.
- Lining Out Deciduous Shrubs and Trees.
- Lining Out Vines.

TERMS OF SALE—Cash with order, except to persons who satisfy us as to their responsibility. Remittances may be made by Bank Draft, Postal or Express Money Order or Certified Check.

SUBSTITUTION—The varieties you select are always sent unless you grant permission to substitute. If you wish a particular color, rather than a particular variety, many times it is to your advantage to mention the fact, as we may oftentimes improve upon your selection. Therefore, if a substitute is acceptable, be sure to advise us, as otherwise everything is shipped absolutely as ordered.

ORDER EARLY—Orders are filled in rotation. Ordering early will insure the reservation of varieties that later may be sold out, and save you any disappointment.

PACKING—All plants are carefully packed to prevent drying or freezing while in transit. All packing charges are included in catalog list.

GUARANTEE—We guarantee all nursery stock furnished by us to be first-class and true to name. We exercise the greatest of care to have all our trees and plants true to name, well grown, packed in the very best possible manner and hold ourselves in readiness on proper proof to replace all trees and plants that may accidentally prove untrue to label, free of charge or refund the amount paid.

REFERENCES—Commercial Agencies.
Reputable Nurserymen in the South

Coniferous, Evergreens

Lining Out Stock—Nursery Grown

Seedlings (S); Cuttings (C) Grafts (G); Buds (B)

	Each
Cedrus Deodara (S)	
2,000—8-12 in.	15c
1,000—10-12 in.	20c
Cedar of Lebanon (S)	
2,000—24 in.	5 c
1,000—4-6 in.	7½c
Cryptomeria (C. Japonica) (S)	
2,000—4-6 in.	5c
2,000—6-8 in.	7½c
1,000—8-10 in.	10c
Cypress (Cupressus Arizonica) (S)	
3,000—4-6 in.	2½c
2,000—6-8 in.	5c
1,000—8-10 in.	7½c
Italian Cypress (Cupressus Sempervirens) (S)	
3,000—4-6 in.	3½c
2,000—6-8 in.	5c
1,000—8-10 in.	7½c
Columnar Italian Cypress (C. Pyramidalis) (S)	
2,000—4-6 in.	5c
1,000—6-8 in.	7½c
Lawson Cypress (C. Lawsoniana) (S)	
3,000—4-6 in.	5c
2,000—6-8 in.	7½c
Pfitzer Juniper (Juniperus Chinensis Pfitzeriana) (C)	
2,000—4-6 in.	12c
1,000—6-8 in.	16c
500—8-10 in.	25c
Savin Juniper (J. Sabina) (C)	
1,000—4-6 in.	12c
1,000—6-8 in.	16c
Retinospora (Chamaecyparis) (S)	
Plume Retinospora (C. Pisifera Plumosa)	
8,000—4-6 in.	4c
4,000—6-8 in.	5c
2,000—8-10 in.	7½c
Hinoki Cypress (C. Obtusa) (S)	
6,000—4-6 in.	4c
4,000—6-8 in.	5c
2,000—8-10 in.	7½c

Libocedrus Decurrens (California Incense Cedar) (S)

2,000—4-6 in.	5c
1,000—6-8 in.	10c

Spruce (Picea) (S)

Norway Spruce (P. Excelsa)

2,000—2-4 in.	2c
1,000—4-6 in.	3c
500—6-8 in.	5c

Arborvitae (Thuja) (S)

Thuja Orientalis

25,000—4-6 in.	3c
15,000—6-8 in.	5c
10,000—8-10 in.	7½c
5,000—10-14 in.	10c

T. Orientalis Aurea Conspicua (S)

10,000—4-6 in.	7½c
5,000—6-8 in.	10c
2,000—8-10 in.	12c

T. Orientalis Compacta (S)

7,000—2-4 in.	3c
4,000—4-6 in.	5c
2,000—6-8 in.	7c

Tom Thumb Arborvitae (T. Occidentalis

Ellwangeriana) (C)

1,000—6-8 in.	10c
---------------	-----

Berckman's Golden (T. Orientalis Aurea Nana) (C)

1,500—4-6 in.	12½c
500—6-8 in.	16c

American Globe (T. Occidentalis Globosa) (C)

1,500—4-6 in.	10c
500—6-8 in.	15c

Beverlyensis Arborvitae (T. Orientalis Meldensis) (C)

500—4-6 in.	10c
500—6-8 in.	15c

Biota Rosedale (T. Orientalis Rosedale) (C)

1,500—6-8 in.	6c
1,500—8-10 in.	8c

Bonita Arborvitae (T. Orientalis Bonita) (C)

500—6-8 in.	16c
-------------	-----

Nana Daly—Green (T. Nana Daly) (C)

500—4-6 in.	12c
500—6-8 in.	20c

Broad Leaved Evergreens

LINING OUT STOCK

Abelia Grandiflora

2,000—8-10 in.	10c
3,000—10-12 in.	12c

Aucuba

Golddust Aucuba (Aucuba Japonica Variegata) (C)

500—6-8 in.	10c
500—8-10 in.	15c

Boxwood (Buxus)

Common Box (B. Sempervirens) (C)

15,000—4-6 in.	5c
10,000—6-8 in.	7½c

True dwarf Box (B. Sempervirens Suffruticosa) (C)

15,000—4-6 in.	7c
10,000—6-8 in.	10c

Cape Jasmine (Gardenia Florida) (C)

2,000—6-8 in.	7c
1,000—8-10 in.	10c

Euonymus

Evergreen Burningbush (E. Japonicus) (C)

1,000—6-8 in.	7c
500—8-10 in.	10c

Magnolia Grandiflora (S)

2,000—4-6 in.	5c
1,000—6-8 in.	7½c

Cherry Laurel (Laurocerasus Caroliniana) (S)

3,000—6-8 in.	
2,000—8-12 in.	
1,000—12-15 in.	7c

English Cherry Laurel (L. Officinalis) (C)

500—6-8 in.	15c
500—8-12 in.	20c

Nandina (Nandina Domestica) (S)

7,000—2-4 in.	5c
5,000—4-6 in.	8c
2,000—6-8 in.	12c

Osmanthus (Tea Olive)

Sweet Tea Olive (O. Fragrans) (C)

300—4-6 in.	25c
200—6-8 in.	30c

Photinia

Low Photinia (P. Serrulata)

3,000—2-4 in.	5c
2,000—4-6 in.	8c
1,000—6-8 in.	12c

Pittosporum Tebira (P. Tobira) (C)	
500—6-8 in.	10c
Privets (Ligustrum Japonicum) (S)	
4,000—4-6 in.	1½c
3,000—6-8 in.	3c
2,000—8-12 in.	4c
Nepal Privet (L. Nepalense) (S)	
5,000—4-6 in.	5c
3,000—6-8 in.	7½c
2,000—8-12 in.	10c
Chinese Privet (L. Amurensis) (S)	
7,000—6-8 in.	2c
5,000—8-12 in.	3c
3,000—12-16 in.	5c
Glossy Privet (L. Lucidum) (C)	
2,000—6-8 in.	8c
3,000—8-10 in.	10c
Gold Leaf Privet (L. Marginatum Aureum) (C)	
1,000—6-10 in.	15c
1,000—10-15 in.	20c
1,000—15-18 in.	25c
Golden Privet Variegated (C)	
2,000—4-6 in.	7½c
1,000—6-8 in.	10c
1,000—8-10 in.	12½c
Pyracantha	
Laland Firethorn (P. Coccinea Lalandi) (C)	
1,000—6-8 in.	10c
1,000—8-12 in.	12c
Yunnanensis Firethorn (P. Crenulata Yunnanensis) (C)	
1,000—6-8 in.	10c
1,000—8-12 in.	12c
Tea Plant (Thea)	
Bohea Tea Plant (T. Sinensis Bohea) (S)	
500—6-8 in.	5c
500—8-10 in.	7½c

Deciduous Shrubs and Trees LINING OUT STOCK

Althea (Hibiscus) (C)	
Shrub-Althea (H. Syricus) Double Pink	
1,000—6-8 in.	3c
1,000—8-10 in.	5c
Shrub-Althea Double White	
1,000—6-8 in.	3c
1,000—8-10 in.	5c

Shrub-Althea Double Purple		
1,000—6-8 in.	3c
1,000—8-10 in.	5c
Shrub-Althea Single White		
1,000—6-8 in.	3c
1,000—8-10 in.	5c
Shrub-Althea Double Red		
1,000—6-8 in.	3c
1,000—8-10 in.	5c
Barberry (Berberis) (S)		
Purple Barberry (B. Vulgaris Atro Purpurea)		
1,000—4-6 in.	10c
1,000—6-8 in.	12c
Japanese Barberry (B. Thunbergi)		
2,000—6-8 in.	1c
1,000—8-10 in.	2c
Beautyberry (Callicarpa) (S)		
American Beautyberry (C. Americana)		
300—6-8 in.	2c
200—8-10 in.	3c
Broom (Cytisus) (S)		
Scotch Broom (C. Scoparius)		
1,000—6-8 in.	2c
2,000—8-10 in.	3c
Bushclover (Lespedeza) (S)		
Shrub-Bushclover (L. Bicolor)		
2,000—6-8 in.	2c
1,000—8-10 in.	3c
1,000—10-12 in.	5c
Chaste-Tree (Vitex) (S)		
Lilac Chaste-Tree (Vitex Agnus-Castus)		
1,000—6-8 in.	3c
1,000—8-10 in.	5c
Crapemyrtle (Lagerstroemia) (C)		
Crapemyrtle (L. Indica) Red		
3,000—8-10 in.	10c
2,000—10-12 in.	15c
Crapemyrtle Pink		
5,000—8-10 in.	10c
4,000—10-12 in.	15c
3,000—12-15 in.	17c
Deutzia (C)		
Double White Deutzia (D. Creata Flora Plena Alba)		
2,000—10-12 in.	7c
3,000—12-15 in.	10c

Slender Deutzia (D. Gracilis)		
1,000—4-6 in.	7c	
1,000—6-8 in.	10c	
Pride of Rochester (D. Scabra)		
2,000—8-10 in.	7c	
2,000—10-15 in.	10c	
Flowering Quince (Cydonia Japonica) (S)		
2,000—6-8 in.	5c	
1,000—8-12 in.	7½c	
Forsythia (GoldenBell) (C)		
Fortune Forsythia (F. suspensa fortunei)		
2,000—8-12 in.	2c	
1,000—12-15 in.	2½c	
Greenstem Forsythia (F. Viridissima)		
2,000—8-12 in.	2c	
2,000—12-15 in.	2½c	
St. Johnswort (Hypericum) (C)		
Goldflower (H. Moserianum)		
1,000—6-8 in.	7½c	
500—8-10 in.	10c	
Japanese Hypericum (H. Patulum)		
1,000—4-6 in.	3c	
1,000—6-8 in.	5c	
500—8-10 in.	7c	
Jasmine (Jasminum) (C)		
Italian Jasmine (J. Humile)		
1,000—6-8 in.	5c	
500—8-10 in.	7c	
Jetbead (Rhodotypos) (S)		
Jetbead (R. Kerriodes)		
1,000—6-8 in.	3c	
1,000—8-12 in.	5c	
Pearlbush (Exochorda) (S)		
Pearlbush (E. Grandiflora)		
1,000—8-10 in.	3c	
1,000—12-15 in.	5c	
Pussy Willow (Salix Caprea) (S)		
500—8-10 in.	2c	
500—12-14 in.	3c	
Spirea (Spiraea) (C)		
Anthony Waterer Spirea		
1,000—4-6 in.	6c	
1,000—6-8 in.	8c	
Reeves Spirea (S. Reevesiana)		
3,000—8-10 in.	5c	
4,000—10-15 in.	7c	

Van Houtie Spirea (S. Vanhouttei)

5,000—8-10 in.	2c
5,000—10-12 in.	3c
3,000—12-15 in.	5c

Weigelia (C)**Pink Weigelia (Weigelia Rosea)**

2,000—8-10 in.	3c
2,000—10-15 in.	5c

Snow Weigelia (Weigelia Candida)

1,000—8-10 in.	3c
1,000—10-15 in.	5c

Eva Rathke

1,000—8-10 in.	5c
1,000—10-15 in.	7c

Chinaberry (Melia) (B)**Texas Umbrella Tree (Melia a. umbraculiformis)**

1,000—8-10 in.	2c
1,000—12-15 in.	3c

Dogwood (Cornus) (C)**White Dogwood (C. Florida)**

1,000—6-8 in.	2c
500—10-12 in.	3c

Pink Dogwood (C. Florida Rubra) (B)

500—2-4 in.	25c
500—4-6 in.	30c
500—6-8 in.	40c

Elm (Ulmus) (S)**American Elm (U. Americana)**

2,000—8-10 in.	2c
1,000—12-15 in.	3c

Chinese Elm (U. Pumila)

2,000—8-10 in.	2c
1,000—12-15 in.	3c

Hackberry (Celtis) (G)**Sugarberry (C. Mississipiensis)**

4,000—8-10 in.	2c
3,000—10-12 in.	3c
2,000—12-15 in.	4c

Maple (Acer) (C)**Silver Maple (A. Dasycarpum)**

1,000—6-8 in.	2c
1,000—10-12 in.	3c

Bloodleaf Japanese Maple (A. palmatum***atropurpureum*) (G)**

500—6-8 in.	40c
-------------	-----

Thunberg Spirea (S. Thunbergi)		
1,000—4-6 in.	6c
1,000—6-8 in.	8c
Oak (Quercus) (S)		
Pin Oak (Q. Palustris)		
2,000—4-6 in.	2c
Pin Oak (Q. Palust is)		
2,000—8-10 in.	3c
Scarlet Oak (Q. Coccinea)		
1,000—4-6 in.	2c
1,000—8-10 in.	3c
Water Oak (Q. Nigra)		
3,000—6-8 in.	1½c
2,000—8-10 in.	2c
Willow Oak (Q. Phellos)		
2,000—6-8 in.	1½c
1,000—8-10 in.	2c
Acuta Oak		
1,000—8-12 in.	3c
Willow (Salix) (C)		
Weeping Willow (S. Babylonica)		
2,000—8-10 in.	2c
1,000—12-15 in.	3c
Vines		
Wintercreeper (Euonymus Radicans) (C)		
1,000—6-8 in.	6c
1,000—8-12 in.	8c
Variegated Wintercreeper (E. Radicans Variegata)		
1,000—6-8 in.	6c
500—8-10 in.	8c
Ivy (Hedera) (C)		
English Ivy (H. Helix)		
1,000—8-10 in.	5c
1,000—10-12 in.	8c
Clematis (S)		
C. paniculata		
2,000—4-6 in.	3c
2,000—6-8 in.	5c
Bignonia Radicans (C)		
1,000—8-10 in.	6c
1,000—10-12 in.	8c
Jessamine (Gelsemium) (S)		
Jasminum Primulinum (Primrose Jasmine)		
1,000—6-8 in.	5c
500—8-10 in.	8c
Boston Ivy (S)		
2,500—6-8 in.	1c
2,500—8-12 in.	2c

